



Memo-Matic\*

BOOK  
57

# KNITTING FASHIONS

BY **SINGER**

*Peterson*





# Memo-Matic\*

## KNITTING FASHIONS

### BY SINGER

#### abbreviations



K	Knit
St	Stitch
N/s	Needles
St st	Stocking stitch
Ch	Chain
Sl st	Slip stitch
Dc	Double crochet
Htr	Half treble
Tr	Treble
Yoh	Yarn over hook
Gr	Group
Sp	Space
Tog	Together
Inc	Increase
Dec	Decrease
Alt	Alternate
Foll	Following
Rem	Remain
Cont	Continue
Rep	Repeat
Beg	Beginning
Req	Required
Patt	Pattern
Cm	Centimetres
Ins	Inches

#### CAUTION

*These garments have been designed exclusively for the yarns specified. We strongly recommend the use of this yarn to obtain the correct results.*

*Published with All Rights Reserved by*  
**SINGER AUSTRALIA LIMITED**

# Jacket

Suitable for Models 321, 322/323, 324/326.

## MEASUREMENTS –

To fit chest size – 48 cms (19 ins)  
Jacket Length – 27 cms (10 ins)  
Sleeve Length – 13 cms ( 5 ins)

**MATERIALS** – SIRDAR 3 PLY “SNUGGLY”  
WASH ‘N’ WEAR (20g) – 4 balls (80 grams).  
Size 2.50 Crochet Hook, 3 buttons, ribbon.

**PATTERN** – Card 3A (1) Tuck. (Resting Needles)  
Model 321. Page 23. Instruction Book.  
Models 322 and 323. Page 37.  
Models 324 and 326. Page 46.

**TENSION** – 32 sts and 48 rows to 10 cm (4 ins) over  
Stocking Stitch. Suggested Tension 5.2. 32 sts and 68  
rows to 10 cm (4 ins) over Pattern. Suggested Tension  
5.2. Please check tension carefully before com-  
mencing garment.

**BACK** – Carriage on right. Using winding-on method  
cast on 147 sts, having 73 sts on left side of centre,  
74 sts on right side. T. 4.0. K 8 rows. Change to  
T. 5.2. Using Card 3A Tuck (Resting Needles)  
commence pattern. R.C.O. K 121 rows, or to req  
length.\*

Bring all needles into B position and K 2 rows.  
Remove on waste.

Turn work. Bring 83 n/s into B position. Replace 1 st  
on each of first 10 needles, 2 sts on each needle to  
last 9 sts, 1 st on each needle to end. Cont in st st,  
K 2 rows.

Transfer each alt st to next needle for ribbonholes  
and K 4 rows.


**Shape Armholes:** R.C.O. Cast off 5 sts at beg of next  
2 rows. Dec 1 st each end of next and foll alt rows  
until 65 sts rem. Cont straight until R.C. reads 42.

**Shape Shoulders:** Cast off 9 sts at beg of next 4 rows.  
Cast off rem sts.

**RIGHT FRONT** – Carriage on right. Using winding-  
on method cast on 71 sts, having 37 sts on left side  
of centre, 34 sts on right side.

Work as for Back to \*.

Bring all needles into B position and K 2 rows. Take  
off on waste.



Turn work. Bring 41 needles into B position. Replace  
1 st on each of first 6 needles, 2 sts on each needle to  
last 5 sts, 1 st on each needle to end. Cont in st st,  
K 2 rows.\*\*


Transfer each alt st to next needle for ribbonholes  
and K 4 rows.

**\*\*\*Shape Armhole:** R.C.O. Cast off 5 sts at beg of  
next row. K one row. Dec 1 st at armhole edge of  
next and foll alt rows until 32 sts rem. cont straight  
until R.C. reads 27, ending at front edge.

**Shape Neck:** Cast off 8 sts at beg of next row. Dec 1  
st at neck edge of next and foll alt rows until 18 sts  
rem. Cont straight until armhole measures same as  
back armhole, ending at side edge. (R.C. reads 42).

**Shape Shoulder:** Cast off 9 sts at beg of next row.  
K one row. Cast off rem sts.\*\*\*

**LEFT FRONT** – Work as for Right Front to \*\*.  
Transfer each alt st to next needle for ribbonholes  
and K 5 rows. Complete as for Right Front from \*\*\*  
to \*\*\*.





**SLEEVES** — Carriage on right. Using winding-on method cast on 49 sts. T. 4.0. K 6 rows. Change to T. 5.2. R.C. 0.

Transfer each alt st to next needle for picot edging and K 8 rows. Inc 1 st each end of next and foll 6th rows until 65 sts rem. Cont without shaping until R.C. reads 62, or to req length.

**Shape Top:** Cast off 5 sts at beg of next 2 rows. Dec 1 st each end of next and foll alt rows until 43 sts, then 1 st each end of every row until 19 sts rem. Cast off.

**TO MAKE UP** — Join shoulder seams. Fit sleeves to armholes and stitch in position. Join side and sleeve seams. Turn hem to wrong side on picot row and sl st in place.

With right side facing and using size 2.50 crochet hook join yarn to right front at lower edge and work in dc evenly up right front, around neckline and down left front to lower edge, working 2 dc in each front corner at neckline, turn.

**Next row:** 1ch, 1dc in each dc to end, working corners as before, turn. Mark position of 3 buttons on left front, placing top marker at neck edge, lower marker just above ribbonholes, one more evenly spaced between.

**Next row:** (Picot Edging) 1 ch, \*1dc in each of next 3 dc, (1dc, 3ch, 1dc) in next dc, rep from \* to end, making 3 ch buttonloops on right front between picots to match markers.

Sew on buttons. Thread ribbon through holes at waist and tie in front.

Press lightly on wrong side with cool iron and drycloth.

---

# frock

---

2

Suitable for Models 321, 322, 323, 324 and 326.

---

## MEASUREMENTS —

To fit chest size	48 cms (19 ins)
Short Length	32 cms (12½ ins)
Longer Length	38 cms (15 ins)
Sleeve Length	4 cms (1½ ins)

---

**MATERIALS** — SIRDAR 3 PLY "SNUGGLY" WASH'N'WEAR (20g)

Short Length — 5 balls (100 grams)

Longer Length — 6 balls (120 grams)

Size 2.00 Crochet Hook, 4 Buttons, Ribbon.

---


**PATTERN** — Card 3A (1) Tuck. (Resting Needles) Model 321. Page 23. Instruction book.

Models 322 & 323. Page 37.

Models 324 & 326. Page 46.

---

**TENSION** — 16 sts and 24 rows to 5 cm (2 ins) over Stocking Stitch. Suggested Tension, 5.2. 16 sts and



68 rows to 10 cm (4 ins) over Pattern. Suggested Tension, 5.2. Please check tension carefully before commencing garment.

**BACK** — Carriage on right. Using winding-on method cast on 147 sts, having 73 sts on left side of centre, 74 sts on right side. T. 4.0. K 8 rows. Change to T. 5.2. Using Card 3A Tuck (Resting Needles) commence pattern. R.C.O. K 165 rows for short length, 213 rows for longer length, or to req length. Bring all needles into B position and K 2 rows. Remove on waste.

Turn work. Bring 79 needles into B position. Replace 1 st on each of first 5 needles, 2 sts on each needle to last 6 sts, 1 st on each needle to end. Cont in st st, K 2 rows. Transfer each alt st to next needle for ribbonholes and K 4 rows.

**Shape Armholes:** R.C.O. Cast off 5 sts at beg of next 2 rows. Dec 1 st each end of next and foll alt rows until 61 sts rem.\*\* Cont straight until R.C. reads 38.

**Shape Shoulders:** Cast off 8 sts at beg of next 4 rows. Remove centre 29 sts on waste.

**FRONT** — Work as for Back to \*\*. Cont straight until R.C. reads 24.

**Shape Neck:** Working on 22 sts nearest carriage, place rem sts on waste and push these needles into A position (prevents rubbing up of wool). K one row. Dec 1 st at neck edge of next and foll alt rows until 16 sts rem. Cont straight until R.C. 38. End at side edge.

**Shape Shoulder:** Cast off 8 sts at beg of next row. K one row. Cast off rem sts.

Leave centre 17 sts on waste. Return rem 22 sts from waste to needles and bring into B position. Complete as for other side, reversing shapings.

**SLEEVES** — Carriage on right. Using winding-on

method cast on 59 sts. T. 4.0. K 4 rows. Change to T. 5.2. R.C. O. Transfer each alt st to next needle for picot edging and K 6 rows. Transfer each alt st to next needle for ribbonholes and K 4 rows. Inc 1 st each end of next and foll 4th row. 63 sts rem. Cont without shaping until R.C. reads 20.

**Shape Top:** Cast off 5 sts at beg of next 2 rows. Dec 1 st each end of next and foll alt rows until 41 sts, then 1 st each end of every row until 21 sts rem. Remove on waste. Bring 7 n/s into B position. Replace 3 sts on each needle and K one row. Cast off.

**FRONT NECKBAND** — With wrong side facing pick up 12 sts along one side of neck, 17 sts from centre front and 12 sts along other side of neck. (41 sts). T. 4.0. K 4 rows. Transfer each alt st to next needle for picot edging. Change to T. 3.0 and K 4 rows. Cast off.

**BACK NECKBAND** — With wrong side facing pick up 29 sts from back neck and work as for Front Neckband.

**TO MAKE UP** — Turn neckbands to wrong side on picot row and sl st neatly in place. Join shoulder seams for approx ½ inch at armhole edge.

Fit sleeves to armholes and stitch in position. Join side and sleeve seams. Turn sleeve hems to wrong side on picot row and sl st in place.

Turn 8 rows st st at lower edge to form hem and sl st in position.

With right side facing and using size 2.00 crochet hook work in dc evenly around left shoulder opening. Mark position of 2 buttonloops on front edge.

**Next row:** 1ch, 1dc in each dc to first marker, 3ch, miss 1dc, 1dc in each dc to next marker, 3ch, miss 1dc, dc to end. Fasten off. Work other opening to match.

Sew on buttons. Thread ribbon through holes at waist and sleeves. Press lightly on wrong side with cool iron and dry cloth.



Suitable for all Models with Ribbing Attachment.

## MEASUREMENT –

To fit chest size	cm	46	51
	ins	18	20
Actual measurement	cm	48	53
	ins	19	21
Length	cm	25	28
	ins	10	11
Finished Sleeve Length	cm	14	16
	ins	5½	6½

**MATERIALS –** SIRDAR 3 PLY “SNUGGLY” WASH ‘N’ WEAR (20g) – 3 (4) balls – 60 (80) grams.

**TENSION –** 32 sts and 48 rows to 10 cm (4 ins) over Stocking Stitch. Suggested Tension. 5.2. Suggested Rib Tension. 4.2. Please check tensions carefully before commencing garment.

**FRONT AND BACK (Alike) –** Cast on 77 (85) sts for K1, P1 rib. T. 4.2. Work 16 rows. Transfer sts to Main Bed. R.C. O. Change to T. 5.2. and cont in st st until R.C. reads 48 (58).

**Shape Armholes:** R.C. O. Cast off 4 sts at beg of next 2 rows. Transfer sts to ribber for K1, P1 rib. R.C. O. Change to T. 4.2 and work in rib until R.C. reads 48 (50). Cast off firmly in rib.

**SLEEVES –** Cast on 49 (53) sts for K1, P1 rib. T. 4.2. Work 28 rows. Transfer sts to Main Bed. R.C. O. Change to T. 5.2 and cont in st st. Inc 1 st each end of 9th and foll 10th rows until 55 (59) sts. Cont straight until R.C. reads 48 (60) or to req length.




Place contrast colour at each end of last row. Knit 6 rows in st st.

**Shape Top:** Cast off 8 sts at beg of next 6 rows. Cast off rem sts.

**TO MAKE UP –** Place contrast colour at armhole edge of Back 2.5 cm (1 inch) below cast off at shoulders. Overlap front cast off edge to contrast and stitch together at armhole edge. Fit cast off edge of sleeves to armholes, placing marked 6 rows to underarm cast off.

Join side and sleeve seams. Turn back cuff. Press lightly on wrong side with cool iron and dry cloth.





**Suitable for all Models with Ribbing Attachment.**

## MEASUREMENT —

Vest — To fit chest size 46 cms (18 ins)  
Length 27 cms (10½ ins)

Pants — Length at centre front 20 cms (8 ins).

**MATERIALS —** SIRDAR 3 PLY "SNUGGLY"  
WASH 'N' WEAR (20g) — 3 balls (60 grams)  
Size 2.00 Crochet Hook, 2 buttons, ribbon.

**TENSION —** 32 sts and 48 rows to 10 (4 ins) over  
Stocking Stitch. Suggested Tension. 5.2. Suggested  
Rib Tension. 4.2. Please check tension carefully  
before commencing garment.

## VEST

**FRONT AND BACK (Alike) —** Cast on 67 sts for  
K1, P1 rib. T. 4.2. Work 6 rows.

Transfer sts to Main Bed. R.C. O. Change to T. 5.2.  
and cont in st st until R.C. reads 74. Transfer sts to  
ribber for K1, P1 rib. R.C. O. T. 4.2 and work 20  
rows.

Working on 21 sts nearest carriage place rem sts on  
waste and push these needles into A position. Cont in  
rib until R.C. reads 34. Cast off. Return sts on  
waste to B. Cast off centre 25 sts, loosely then work  
rem sts to correspond with other side.


**TO MAKE UP —** Using fine back stitch, join right  
shoulder seam. Join left shoulder seam for ½ inch  
at armhole edge.

With right side facing and using size 2.00 crochet  
hook, join yarn at left front edge of shoulder opening  
and work one round in dc evenly along shoulder,  
around neckline and along back shoulder.

Join with sl st. Mark position of 2 buttons on back  
shoulder.

**Next round (Picot round)** 1 ch, dc along front  
shoulder, making two 3 ch buttonloops to match  
markers, \* 1 dc in each of next 3 dc, 3 ch, sl st back  
into top of last dc (picot made), rep from \* around  
neckline, then work in dc only along back shoulder.  
Join with sl st. Fasten off.

Join side seams to ribbing. Work one round in dc and  
picot round around armholes. Sew on buttons to  
match loops. Press lightly on wrong side with cool  
iron and dry cloth.



## PANTS

**FRONT —** Carriage on right. Using winding-on  
method cast on 29 sts. T. 5.2. K 2 rows. Cont in st st,  
inc 1 st each end of every row until 81 sts. R.C. O.  
K 50 rows.\*\*

Transfer sts to ribber for K1, P1 rib and work 5 rows.  
Transfer sts from ribber to adjacent needles on main  
bed for ribbonholes. Leave ribber needles in B posi-  
tion and work 4 rows in rib. Cast off in Rib (loosely).

**BACK —** Work as for Front to \*\*.

**Shape Back:** Russel levers on 1.

Bring 71 sts opposite carriage to D. \* 1 row, yarn  
under inside D needle K 1 row. Push 10 n/s from D  
to C\* position. Repeat from \* to \* 4 times. Knit 1  
row, yarn under inside D needle. K 1 row. K across  
all sts.

Transfer sts to ribber for K1, P1 rib and work 5 rows.  
Work ribbonhole row then rib 4 rows as for Front.  
Cast off in Rib (loosely).

**TO MAKE UP —** Using fine back stitch, join sides and  
crotch seam. With right side facing and using size 2.00  
Crochet hook, join yarn at crotch seam and work one  
round in dc and picot round around each leg opening.  
Thread ribbon through holes at waist and tie in front.  
Press lightly on wrong side with cool iron and dry  
cloth.

Suitable for Models 321, 322/323, 324/326.

---

**MEASUREMENT —**

89 cms (35 ins) square.

---

**MATERIALS —** SIRDAR 3 PLY "SNUGGLY"  
WASH 'N' WEAR (20g) 11 balls (220 grams)  
Size 2.50 Crochet Hook, ribbon.

---

**PATTERN —** Card 3A (1) Tuck. (Resting Needles)  
Model 321. Page 23. Illustration Book.  
Models 322 and 323. Page 37.  
Models 324 and 326. Page 46.

---


**TENSION —** 32 sts and 48 rows to 10 cm (4 ins) over  
Pattern. Suggested Tension. 5.2. Please check tension  
carefully before commencing.

---

**SHAWL —** Carriage on right. Using winding-on  
method cast on 195 sts, having 97 sts on left side of  
centre, 98 sts on right side. Using Card 3A Tuck  
(Resting Needles) commence pattern. R.C. O. K 550  
rows, or enough to form a square. Cast off.

**CROCHET EDGING —** With right side facing and  
using size 2.50 crochet hook join yarn at corner of  
cast on edge of shawl and work approx 143 dc evenly  
along cast on edge, work 2 dc in corner, then work  
same No of dc along side, keeping work firm, across  
cast off edge and along other side, working 2dc in  
each corner. Join with sl st to first dc.

**Next round:** 1ch, 1dc in next dc, \*4ch, miss 1dc, 1dc  
in next dc, cont to corner, (4ch, 1dc in next dc)  
twice, rep from \*, ending with 4ch, sl st to first dc.



**Next round:** Sl st across 2ch, 1dc in loop, \*4ch, 1dc  
in next ch loop, cont to corner, (4ch, 1dc in corner  
loop) twice, rep from \*, ending with 4ch, sl st to first  
dc. Rep last round until edging measures approx 10  
cm (4 ins) wide or to required width.

**Next round:** 1ch (2dc, 3ch, 2dc) in each ch loop to  
end. Join with sl st. Fasten off. Stitch ribbon bow in  
position. Press lightly on wrong side with cool iron  
and dry cloth.





Suitable for Models 321, 322/323, 324/326.

## MEASUREMENTS –

Width around face – 30 cm (12 ins).

**MATERIALS** – SIRDAR 3 PLY “SNUGGLY”  
WASH ‘N’ WEAR (20g) 1 ball. (20 grams)  
Size 2.00 crochet hook, ribbon.

**PATTERN** – Card 3A (1) Tuck. (Resting Needles)  
Model 321. Page 23. Instruction Book.  
Models 322 and 323. Page 37  
Models 324 and 326. Page 46

**TENSION** – 32 sts and 48 rows to 10 cm (4 ins) over  
Stocking Stitch. Suggested Tension. 5.2.  
32 sts and 68 rows to 10 cm (4 ins) over Pattern.  
Suggested Tension. 5.2. Please check tensions care-  
fully before commencing garment.

**BONNET** – Carriage on right. Using winding-on  
method cast on 91 sts. T. 4.0. K 8 rows. Change to  
T. 5.2. Transfer each alt st to next needle for picot  
edge and K 6 rows. Remove on waste.  
Turn work. Bring 45 needles on left side of centre,  
and 46 needles on right side into B position and  
replace sts.  
Using Card 3A Tuck (Resting Needles) commence  
pattern. R.C.O. K 57 rows. Remove on waste. Turn  
work. Replace sts and work 6 rows in st st.

**Shape Crown:** Cast off 31 sts at beg of next 2 rows.  
R.C.O. Cont in st st on rem 29 sts until R.C. reads 44.



Work 2 sts tog across next row, working last 3 sts  
tog. Cast off rem sts.

**TO MAKE UP** – Using back stitch neatly join back  
seams. With right side facing and using size 2.00  
crochet hook, work in dc evenly around lower edge,  
beg and ending at picot row. Turn hem to wrong side  
on picot row and sl st in place. Thread ribbon  
through hem at front.

Press lightly on wrong side with cool iron and dry  
cloth.

Suitable for all Models with Ribbing Attachment

## MEASUREMENTS —

To fit Chest size	—	51 cm (20 ins)
Actual measurement	—	53 cm (21 ins)
Length	—	25 cm (10 ins)
Sleeve Length	—	17 cm (6½ ins)

## MATERIALS — SIRDAR 3 PLY "SNUGGLY" WASH 'N' WEAR (20 g)

Main Colour (MC)	—	2 balls (40 grams)
1st Contrast (C1)	—	1 ball (20 grams)
2nd Contrast (C2)	—	1 ball (20 grams)
4 buttons.	30	26 T S 3

**TENSION** — 32 sts and 48 rows to 10 cm (4 ins) over Stocking Stitch. Suggested Tension. 5.2. Suggested Rib Tension. 4.2. Please check tensions carefully before commencing garment.

**BACK** — Using MC cast on 83 sts for K1, P1 rib. T. 4.2. Work 10 rows, inc 1 st at end of last row. (84 sts). Transfer sts from ribber to Main Bed. R.C. O. Change to T. 5.2 and st st. Work in striped patt of 2 rows each MC, C1, MC, C2 throughout. Cont until R.C. reads 60.

**Shape Armholes:** R.C. O. Cast off 4 sts at beg of next 2 rows. Work 20 rows, dec 1 st at each end of next and every alt row. (56 sts rem). Work 18 rows, dec 1 st at each end of every row. (20 sts rem). Cast off.

**LEFT FRONT** — Using MC cast on 39 sts and work in rib as for Back, inc 1 st at end of last row. (40 sts). R.C. O. Work 60 rows in striped patt as Back.

**Shape Armhole:** Cast off 4 sts beg next row. K1 row. K 20 rows, dec 1 st at armhole edge in next and every alt row, at the same time dec. at front edge in next and every foll 5th row. (22 sts) rem. K 15 rows, dec 1 st at armhole edge in every row, continue dec. at front edge every 5th row as before until 4 sts rem. Knit one row. Dec 1 st at beg of next 2 rows K last 2 sts tog. Fasten off.

**RIGHT FRONT** — Work as for Left Front, reversing shapings.

**SLEEVES** — Using MC cast on 47 sts and work 16



rows in rib, inc 1 st at end of last row. (48 sts). R.C. O. Transfer to Main Bed and cont. in striped patt as Back, inc 1 st each end of 4th rows until 60 sts, then cont without shaping until R.C. reads 60.

**Shape Top:** Cast off 4 sts at beg of next 2 rows. K 34 rows, dec 1 st at each end of next and every alt row. K 4 rows, dec 1 st at each end of every row. (10 sts rem). Cast off. Stitch raglan side and sleeve seams.

**BUTTONHOLE** — Using MC cast on 9 sts for K1, P1 rib. T. 4.2. Work 4 rows. Make buttonhole in this and every following 15th row, 3 times (4 buttonholes). Cont in rib until sufficient length, slightly stretched, to fit along one front and to centre back neck. Cast off.

**BUTTON BAND** — Work as for Buttonhole Band, omitting buttonholes. Join bands at centre back and stitch neatly in place, having button band on left side for girl and on right side for boy. Sew on buttons. Press lightly on wrong side with cool iron and dry cloth.

Suitable for all Models with Ribbing Attachment.

## MEASUREMENT –

Waist	cm	46	51
	ins	18	20
Front Length	cm	19	20
	ins	7½	19
Leg Length	cm	18	19
	ins	7	7½


**MATERIALS** – SIRDAR 3 PLY “SNUGGLY”  
WASH ‘N’ WEAR (20g) – 3 balls (60 grams).  
Waistlength Elastic, ribbon.

**TENSION** – 32 sts and 48 rows to 10 cm (4 ins) over Stocking Stitch. Suggested Tension 5.2.  
Suggested Rib Tension. 4.2. Please check tension carefully before commencing garment.

**LEFT LEG** – Cast on 69 (75) sts for K1, P1 rib. T. 4.2. Work 4 rows.  
Transfer sts from ribber to adjacent needles on Main Bed for ribbonholes. Leave ribber needles in B position and work 6 rows. Transfer sts to Main Bed. Change to T. 5.2 and st st.

**Shape Back:** Russel levers on 1.  
Bring 54 (60) sts opp carriage to D. K1 row, yarn under inside D needle, K1 row, \*Bring 15 n/s, from D pos to C. K1 row, yarn under inside D needle, K1 row\* Rep from \* to \* once. K across all sts. Work 4 (8) rows in st st. Inc 1 st each end of next and foll 12th rows until 81 (87) sts, then work 10 rows without shaping. Dec 1 st each end of alt rows 7 (8) times, then each foll 4th row 12 (12) times. 43 (47 sts rem).  
Work 18 rows without shaping or to req length, ending at back edge, dec 1 st at end of last row. 42 (46) sts.  
Transfer each alt st to adjacent needles for ribbonholes and K 2 rows.

**Shape Foot:** Remove first 24 (25) sts and last 6 (7) sts onto waste, leaving 12 (14) sts on machine. K 24 (26) rows on these sts. Break off yarn. Carriage



on right. Remove 6 (7) sts furthest from carriage onto waste. Pick up 12 (13) sts along side of instep, then replace 24 (25) sts from waste onto next needles. Rejoin yarn and K 10 (12) rows, dec 1 st at centre front of 2nd and foll 3 alt rows. Cast off.

Carriage on right. Replace 6 (7) sts from waste, pick up 12 (13) sts along other side of instep, then 6 (7) sts from waste. Rejoin yarn at centre front and K 10 (12) rows, dec 1 st at centre front of 2nd and foll 3 alt rows. Cast off.

**RIGHT LEG** – Work as for Left Leg, reversing all shapings.

**TO MAKE UP** – Using fine back stitch, join leg seams then front and back seams. Join foot, placing leg seam 1 cm (½ inch) toward front. Thread elastic through wasist to fit. Thread ribbon through ribbonholes and tie in front.

Press lightly on wrong side with cool iron and dry cloth.



Suitable for Models 321, 322/323, 324/326.

## MEASUREMENTS –

Length of Foot – 9.5 cm (3¾ ins).

**MATERIALS** – SIRDAR 3 PLY “SNUGGLY” WASH ‘N’ WEAR (20g) – 1 ball (20 grams).  
Ribbon.

**PATTERN** – Card 3A (1) Tuck. (Resting Needles) Model 321. Page 23. Instruction Book.  
Models 322 and 323. Page 37.  
Models 324 and 326. Page 46.

**TENSION** – 32 sts and 48 rows to 10 cm (4 ins) over Stocking Stitch. Suggested Tension. 5.2.  
32 sts and 68 rows to 10 cm (4 ins) over Pattern. Suggested Tension. 5.2. Please check tensions carefully before commencing garment.

**BOOTEES** – Commence at lower edge. Carriage on right. Using winding-on method cast on 22 sts. R.C.O. T. 5.2. K one row. Inc 1 st each end of next and foll alt rows until 30 sts. K one row. R.C. reads 9. Remove sts on waste. Work another piece to match. Replace both pieces together on machine (60 sts) and K 9 rows. Break off yarn.

**Shape Instep:** Take 24 sts from each end off onto waste. Leave rem 12 sts on machine. R.C.O. Place first st from waste yarn at each side of centre sts onto needles 1 and 12 for shaping. Rejoin yarn and K 2 rows. Place next st from waste at each side onto needles 1 and 12 and K 2 rows. Cont in this manner, placing sts onto needles 1 and 12 and working 2 rows until 14 sts rem on waste at each side. R.C. reads 19. Place 14 sts furthest from carriage onto next needles and K one row, then place rem 14 sts onto needles



and K one row. (40 sts). Transfer each alt st to next needle for ribbonholes and K 3 rows, dec 1 st at end of last row. (39 sts). Remove on waste. Turn work. Bring 39 needles into B position, having 19 sts on left side of centre, 20 sts on right side and replace sts. Using Card 3A Tuck (Resting Needles) commence Pattern. R.C.O. K 24 rows. Remove on waste. Turn work. Change to T. 4.0 and st st and K 6 rows. Cast off loosely.

**TO MAKE UP** – Using small back stitch join back and foot seam. Turn hem to inside and sl st in place. Thread ribbon through holes and tie in front. Press lightly on wrong side with cool iron and dry cloth.






# Memo-Matic<sup>\*</sup>

BOOK  
57

## KNITTING FASHIONS

BY **SINGER**



\*TRADE MARK OF THE SINGER COMPANY